

SHELVING & DISPLAY | ORDER PICKING

# TSS Curbside Mobile Shelf Cart

Durable | Mobile | Adjustable



# TSS Curbside Mobile Shelf Cart

- > 800lb Capacity per shelf/maximum; 1200lbs per unit
- > Adjustable shelves for your customer orders; 4 or 5 shelf options
- > Ideal for E-commerce picking and staging
- > Regular or dolly based versions available
- > Locking wheels standard



**Stem Caster Base Version**  
(5 Shelf Shown)



**Dolly Base Version**  
(4 Shelf Shown)

Dolly base adds stability and support for heavy-duty or over the road applications

Base Kit Units		Shelf Depth	Shelf Width	Shelf Height	Number of Shelves
Stem Caster Units	Dolly Base Units				
MB436CH	MD436CH	24	36	63	4 Shelf
MB456CH	MD456CH	24	48	63	4 Shelf
MB435CH	MD435CH	24	36	74	5 Shelf
MB455CH	MD455CH	24	48	74	5 Shelf

# Accessories

**Wire Ledges**



**Shelf Divider**



**Push/Pull Handle**



**EZ MUV Shelf**



**Accessory Basket**



**Bin** (shown with Bin Card Holder installed)



**Shelf Inlay**



Accessories	Part #	Dimensions	Weight
<b>Wire Ledges</b>	L244CH	24" x 4"	2 lbs
	L364CH	36" x 4"	2.5 lbs
	L484CH	48" x 4"	3 lbs
<b>Wire Shelf Dividers</b>	D248CH	24" x 8"	1.5 lbs
<b>Supply Accessory Basket</b>	HB715	7" x 15" x 7"	2 lbs
<b>Bins</b>	TB40	17.25" x 22.25" x 6"	
<b>Bin Card Holder</b>	CH30		
<b>Push/Pull Handle</b>	PH24CH	24" x 1"	1 lb
<b>3-Position Label Holder</b>	LH36CLEAR	36"	
	LH48CLEAR	48"	
<b>Shelf Inlay Liners</b>	AM2436PF	36"	
	AM2448PF	48"	
<b>EZ MUV Shelf</b>	EZ2436CH	36"	14 lbs
	EZ2448CH	48"	17 lbs

**Note:** Shelves are installed evenly spaced out on both 4 and 5 shelf units. For special shelf placement please contact customer service for assistance prior to placing your order.

Units shipped fully assembled.



#### Wanzl worldwide

- Head Office
- Subsidiaries
- Partners

**WANZL NORTH AMERICA**  
700 Technibilt Drive  
PO Box 310  
Newton, NC 28658

Phone +1 800-351-2278  
Fax +1 800-968-8934

info@wanzl.com  
www.wanzl.com/NA

**GERMANY**  
Wanzl GmbH & Co. KGaA  
Rudolf-Wanzl-Straße 4  
89340 Leipheim

Phone +49 (0) 82 21 / 7 29-0  
Fax +49 (0) 82 21 / 7 29-1000

info@wanzl.com  
www.wanzl.com