

TSS TOP TRAK Shelving System

Adjustable | Expandable | Durable



TSS TOP TRAK Shelving System

- > Built for strength and durability – up to 850 lbs. capacity per unit depending on width.
- > Utilize all variations of TSS shelves – wire, basket, solid, suture shelves, etc.
- > Minimum tools needed for assembly; Fully adjustable.
- > Many configurations available using both fixed and mobile units.
- > Chrome is electro-plated nickel-chromed for a high gloss finish.
- > Easy to reconfigure and re-purpose as necessary.



Fixed Unit




Mobile Unit

System Design Options



Part Number		Shelf Depth	Shelf Width	Unit Height		Number of Shelves
Fixed Unit	Mobile Unit					
Fixed-18x30	Mobile-18x30	18	30	86/80	77/71	Customer Defined
Fixed-24x30	Mobile-24x30	24	30	86/80	77/71	Customer Defined
Fixed-18x36	Mobile-18x36	18	36	86/80	77/71	Customer Defined
Fixed-24x36	Mobile-24x36	24	36	86/80	77/71	Customer Defined
Fixed-18x48	Mobile-18x48	18	48	86/80	77/71	Customer Defined
Fixed-24x48	Mobile-24x48	24	48	86/80	77/71	Customer Defined
Fixed-18x60	Mobile-18x60	18	60	86/80	77/71	Customer Defined
Fixed-24x60	Mobile-24x60	24	60	86/80	77/71	Customer Defined
Fixed-18x72	Mobile-18x72	18	72	86/80	77/71	Customer Defined
Fixed-24x72	Mobile-24x72	24	72	86/80	77/71	Customer Defined

Dimensions and Available Kits



*Note: Even though fixed unit is shown, fixed and mobile units have the same maximum depth and width.

**Note: All units both mobile and fixed require a top and bottom shelf.

System shown on cover is (2) fixed and (4) moveable units 18" deep with 4 fixed shelves. 77"H.

Actual Outside Dimensions					
Part #	A	B	C	D	E
Maximum Dimensions	24"	72"	89"	6'	12'
Available Shelf Dimensions					
AxB	18x30	18x36	18x48	18x60	18x72
AxB	24x30	24x36	24x48	24x60	24x72

Available Kits					
Rigid Caster Bar (depth)	Cross Bar (width)	Anti-Tip Bar (depth)	Stationary Unit	Mobile Post	Stationary Post
TT-CRB-18	TT-CB-30	TT-AT-18	TT-TC-ASSY	TT-P71CH-M	TT-P77CH-S
TT-CRB-24	TT-CB-36	TT-AT-24		TT-P80CH-M	TT-P86CH-S
	TT-CB-48				
	TT-CB-60				
	TT-CB-72				



Wanzl worldwide

- Head Office
- Subsidiaries
- Partners

WANZL NORTH AMERICA
700 Technibilt Drive
PO Box 310
Newton, NC 28658

Phone +1 800-351-2278
Fax +1 800-968-8934

info@wanzl.com
www.wanzl.com/NA

GERMANY
Wanzl GmbH & Co. KGaA
Rudolf-Wanzl-Straße 4
89340 Leipheim

Phone +49 (0) 82 21 / 7 29-0
Fax +49 (0) 82 21 / 7 29-1000

info@wanzl.com
www.wanzl.com